## Margaret L Mcneely

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/9277000/publications.pdf

Version: 2024-02-01

108 5,347 34 71 g-index

113 113 113 5954

all docs docs citations times ranked citing authors

#	Article	IF	CITATIONS
1	Effects of exercise on breast cancer patients and survivors: a systematic review and meta-analysis. Cmaj, 2006, 175, 34-41.	0.9	883
2	Randomized Controlled Trial of the Effects of Aerobic Exercise on Physical Functioning and Quality of Life in Lymphoma Patients. Journal of Clinical Oncology, 2009, 27, 4605-4612.	0.8	316
3	A Systematic Review of the Effectiveness of Physical Therapy Interventions for Temporomandibular Disorders. Physical Therapy, 2006, 86, 710-725.	1.1	288
4	A prospective surveillance model for rehabilitation for women with breast cancer. Cancer, 2012, 118, 2191-2200.	2.0	227
5	The Addition of Manual Lymph Drainage to Compression Therapy For Breast Cancer Related Lymphedema: a Randomized Controlled Trial. Breast Cancer Research and Treatment, 2004, 86, 95-106.	1.1	225
6	Effect of exercise on upper extremity pain and dysfunction in head and neck cancer survivors. Cancer, 2008, 113, 214-222.	2.0	196
7	Alberta Physical Activity and Breast Cancer Prevention Trial: Sex Hormone Changes in a Year-Long Exercise Intervention Among Postmenopausal Women. Journal of Clinical Oncology, 2010, 28, 1458-1466.	0.8	192
8	Meta-Analysis of Aerobic Interval Training on Exercise Capacity and Systolic Function in Patients With Heart Failure and Reduced Ejection Fractions. American Journal of Cardiology, 2013, 111, 1466-1469.	0.7	190
9	Exercise interventions for upper-limb dysfunction due to breast cancer treatment. The Cochrane Library, 2010, , CD005211.	1.5	169
10	Manual lymphatic drainage for lymphedema following breast cancer treatment. The Cochrane Library, 2015, 2015, CD003475.	1.5	144
11	Exercise in cirrhosis: Translating evidence and experience to practice. Journal of Hepatology, 2018, 69, 1164-1177.	1.8	134
12	Randomized Trial of Decongestive Lymphatic Therapy for the Treatment of Lymphedema in Women With Breast Cancer. Journal of Clinical Oncology, 2013, 31, 3758-3763.	0.8	124
13	A pilot study of a randomized controlled trial to evaluate the effects of progressive resistance exercise training on shoulder dysfunction caused by spinal accessory neurapraxia/neurectomy in head and neck cancer survivors. Head and Neck, 2004, 26, 518-530.	0.9	121
14	Clinical practice guidelines for breast cancer rehabilitation. Cancer, 2012, 118, 2312-2324.	2.0	112
15	Exercise Programs for Cancer-Related Fatigue: Evidence and Clinical Guidelines. Journal of the National Comprehensive Cancer Network: JNCCN, 2010, 8, 945-953.	2.3	98
16	Changes in insulin resistance indicators, IGFs, and adipokines in a year-long trial of aerobic exercise in postmenopausal women. Endocrine-Related Cancer, 2011, 18, 357-369.	1.6	98
17	Patientâ€reported outcomes, body composition, and nutrition status in patients with head and neck cancer: Results from an exploratory randomized controlled exercise trial. Cancer, 2016, 122, 1185-1200.	2.0	89
18	Home Exercise Training Improves Exercise Capacity in Cirrhosis Patients: Role of Exercise Adherence. Scientific Reports, 2018, 8, 99.	1.6	89

#	Article	IF	CITATIONS
19	A prospective model of care for breast cancer rehabilitation: Postoperative and postreconstructive issues. Cancer, 2012, 118, 2226-2236.	2.0	86
20	A prospective surveillance model for physical rehabilitation of women with breast cancer. Cancer, 2012, 118, 2250-2260.	2.0	85
21	Conservative and dietary interventions for cancerâ€related lymphedema. Cancer, 2011, 117, 1136-1148.	2.0	83
22	A prospective model of care for breast cancer rehabilitation: Function. Cancer, 2012, 118, 2300-2311.	2.0	82
23	The impact of physical activity on health-related fitness and quality of life for patients with head and neck cancer: a systematic review. British Journal of Sports Medicine, 2016, 50, 325-338.	3.1	80
24	Exercise issues in older cancer survivors. Critical Reviews in Oncology/Hematology, 2004, 51, 249-261.	2.0	71
25	A systematic review of physiotherapy for spondylolysis and spondylolisthesis. Manual Therapy, 2003, 8, 80-91.	1.6	56
26	Moderator Effects in a Randomized Controlled Trial of Exercise Training in Lymphoma Patients. Cancer Epidemiology Biomarkers and Prevention, 2009, 18, 2600-2607.	1.1	54
27	Physical Activity and Breast Cancer: A Qualitative Study on the Barriers to and Facilitators of Exercise Promotion from the Perspective of Health Care Professionals. Physiotherapy Canada Physiotherapie Canada, 2016, 68, 383-390.	0.3	54
28	Predictors of Adherence to Supervised and Unsupervised Exercise in the Alberta Physical Activity and Breast Cancer Prevention Trial. Journal of Physical Activity and Health, 2012, 9, 857-866.	1.0	45
29	Exercise Recommendation for People With Bone Metastases: Expert Consensus for Health Care Providers and Exercise Professionals. JCO Oncology Practice, 2022, 18, e697-e709.	1.4	44
30	Mammographic Density Change with 1 Year of Aerobic Exercise among Postmenopausal Women: A Randomized Controlled Trial. Cancer Epidemiology Biomarkers and Prevention, 2010, 19, 1112-1121.	1.1	41
31	A Randomized Trial of Aerobic Exercise and Sleep Quality in Lymphoma Patients Receiving Chemotherapy or No Treatments. Cancer Epidemiology Biomarkers and Prevention, 2012, 21, 887-894.	1.1	41
32	Effects of Supervised Exercise on Motivational Outcomes and Longer-Term Behavior. Medicine and Science in Sports and Exercise, 2012, 44, 542-549.	0.2	39
33	Predictors of Adherence to Supervised Exercise in Lymphoma Patients Participating in a Randomized Controlled Trial. Annals of Behavioral Medicine, 2010, 40, 30-39.	1.7	38
34	Community-based exercise for health promotion and secondary cancer prevention in Canada: protocol for a hybrid effectiveness-implementation study. BMJ Open, 2019, 9, e029975.	0.8	38
35	Effect of air travel on lymphedema risk in women with history of breast cancer. Breast Cancer Research and Treatment, 2010, 120, 649-654.	1.1	36
36	Rationale and design of the multidisciplinary team IntervenTion in cArdio-oNcology study (TITAN). BMC Cancer, 2016, 16, 733.	1.1	34

#	Article	IF	CITATIONS
37	The Alberta moving beyond breast cancer (AMBER) cohort study: a prospective study of physical activity and health-related fitness in breast cancer survivors. BMC Cancer, 2012, 12, 525.	1.1	32
38	Intraoperative Brief Electrical Stimulation of the Spinal Accessory Nerve (BEST SPIN) for prevention of shoulder dysfunction after oncologic neck dissection: a double-blinded, randomized controlled trial. Journal of Otolaryngology - Head and Neck Surgery, 2018, 47, 7.	0.9	32
39	Exercise and nutrition for head and neck cancer patients: a patient oriented, clinic-supported randomized controlled trial. BMC Cancer, 2012, 12, 446.	1.1	30
40	Predictors of adherence to an exercise program for shoulder pain and dysfunction in head and neck cancer survivors. Supportive Care in Cancer, 2012, 20, 515-522.	1.0	28
41	Prospective surveillance and targeted physiotherapy for arm morbidity after breast cancer surgery: a pilot randomized controlled trial. Clinical Rehabilitation, 2018, 32, 811-826.	1.0	27
42	The Alberta physical activity and breast cancer prevention trial: Quality of life outcomes 11 rial registration clinical trials.gov identifier: NCT00522262 Preventive Medicine, 2011, 52, 26-32.	1.6	26
43	Cancer Rehabilitation: Recommendations for Integrating Exercise Programming in the Clinical Practice Setting. Current Cancer Therapy Reviews, 2006, 2, 351-360.	0.2	24
44	2b or not 2b? Shoulder function after level 2b neck dissection: A doubleâ€blind randomized controlled clinical trial. Cancer, 2020, 126, 1492-1501.	2.0	24
45	Predictors of followâ€up exercise behavior 6 months after a randomized trial of supervised exercise training in lymphoma patients. Psycho-Oncology, 2012, 21, 1124-1131.	1.0	23
46	Sustainability of Outcomes after a Randomized Crossover Trial of Resistance Exercise for Shoulder Dysfunction in Survivors of Head and Neck Cancer. Physiotherapy Canada Physiotherapie Canada, 2015, 67, 85-93.	0.3	21
47	Current Evidence and Directions for Future Research in eHealth Physical Activity Interventions for Adults Affected by Cancer: Systematic Review. JMIR Cancer, 2021, 7, e28852.	0.9	20
48	Feasibility of a Pedometer-Based Walking Program for Survivors of Breast and Head and Neck Cancer Undergoing Radiation Therapy. Physiotherapy Canada Physiotherapie Canada, 2015, 67, 205-213.	0.3	19
49	Effect of Acute Exercise on Upper-Limb Volume in Breast Cancer Survivors: A Pilot Study. Physiotherapy Canada Physiotherapie Canada, 2009, 61, 244-251.	0.3	18
50	Development of a reconditioning program for elderly abdominal surgery patients: the Elder-friendly Approaches to the Surgical Environment–BEdside reconditioning for Functional ImprovemenTs (EASE-BE FIT) pilot study. World Journal of Emergency Surgery, 2018, 13, 21.	2.1	18
51	The Interdisciplinary Rehabilitation Care Team and the Role of Physical Therapy in Survivor Exercise. Clinical Journal of Oncology Nursing, 2016, 20, S8-S16.	0.3	18
52	Self-Measured Arm Circumference in Women With Breast Cancer Is Reliable and Valid. Physical Therapy, 2019, 99, 240-253.	1.1	16
53	The Alberta Moving Beyond Breast Cancer (AMBER) Cohort Study: Recruitment, Baseline Assessment, and Description of the First 500 Participants. BMC Cancer, 2016, 16, 481.	1.1	15
54	A Practical Approach to Using Integrated Knowledge Translation to Inform a Community-Based Exercise Study. International Journal of Environmental Research and Public Health, 2020, 17, 3911.	1.2	13

#	Article	IF	Citations
55	Exercise-based interventions for cancer survivors in India: a systematic review. SpringerPlus, 2015, 4, 655.	1.2	12
56	A Scoping Review of Physical Therapy Interventions for Childhood Cancers. Physiotherapy Canada Physiotherapie Canada, 2019, 71, 287-296.	0.3	11
57	Therapeutic Ultrasound for Chemotherapy-Related Pain and Sensory Disturbance in the Hands and Feet in Patients With Colorectal Cancer: A Pilot Randomized Controlled Trial. Journal of Pain and Symptom Management, 2021, 61, 1127-1138.	0.6	11
58	Intraoperative brief electrical stimulation (BES) for prevention of shoulder dysfunction after oncologic neck dissection: study protocol for a randomized controlled trial. Trials, 2015, 16, 240.	0.7	10
59	Efficacy of night-time compression for breast cancer related lymphedema (LYNC): protocol for a multi-centre, randomized controlled efficacy trial. BMC Cancer, 2016, 16, 601.	1.1	10
60	Evaluating implementation and pragmatism of cancer-specific exercise programs: a scoping review. Journal of Cancer Survivorship, 2022, 16, 374-387.	1.5	10
61	Which are the best conservative interventions for lymphoedema after breast cancer surgery?. BMJ: British Medical Journal, 2017, 357, j2330.	2.4	9
62	Bridging the gap: incorporating exercise evidence into clinical practice in breast cancer care. Supportive Care in Cancer, 2020, 28, 897-905.	1.0	9
63	The Alberta moving beyond breast cancer (AMBER) cohort study: baseline description of the full cohort. Cancer Causes and Control, 2022, 33, 441-453.	0.8	9
64	Axillary web syndrome among Chilean women with breast cancer: incidence and possible predisposing factors Supportive Care in Cancer, 2020, 28, 2941-2947.	1.0	8
65	Upper Extremity Rehabilitation for Women Who Have Been Treated for Breast Cancer. Physiotherapy Canada Physiotherapie Canada, 2004, 56, 202.	0.3	8
66	Nighttime compression supports improved selfâ€management of breast cancer–related lymphedema: A multicenter randomized controlled trial. Cancer, 2022, 128, 587-596.	2.0	8
67	The Importance of Transparent Reporting of Systematic Reviews. Physiotherapy Canada Physiotherapie Canada, 2013, 65, 1-2.	0.3	7
68	Physical therapy interventions, other than general physical exercise interventions, in children and adolescents before, during and following treatment for cancer. The Cochrane Library, 2018, , .	1.5	7
69	Self-Managed Surveillance for Breast Cancer–Related Upper Body Issues: A Feasibility and Reliability Study. Physical Therapy, 2020, 100, 468-476.	1.1	7
70	A survey of technology literacy and use in cancer survivors from the Alberta Cancer Exercise program. Digital Health, 2021, 7, 205520762110334.	0.9	7
71	Protocol: A cluster randomized controlled trial of a mobile application to support physical activity maintenance after an exercise oncology program. Contemporary Clinical Trials, 2021, 107, 106474.	0.8	7
72	Implementing Cancer Exercise Rehabilitation: An Update on Recommendations for Clinical Practice. Current Cancer Therapy Reviews, 2019, 15, 100-109.	0.2	7

#	Article	IF	CITATIONS
73	Exercise and Prebiotic Fiber Provide Gut Microbiota-Driven Benefit in a Survivor to Germ-Free Mouse Translational Model of Breast Cancer. Cancers, 2022, 14, 2722.	1.7	7
74	Functional, work-related rehabilitative programming for cancer survivors experiencing cancer-related fatigue. British Journal of Occupational Therapy, 2021, 84, 212-221.	0.5	6
75	Heal-me PiONEer (personalized online nutrition and exercise): An RCT assessing 2 levels of app-based programming in individuals with chronic disease. Contemporary Clinical Trials, 2022, 118, 106791.	0.8	6
76	ACE-Neuro: A tailored exercise oncology program for neuro-oncology patients – Study protocol. Contemporary Clinical Trials Communications, 2022, 28, 100925.	0.5	6
77	Neuromuscular Electrical Stimulation and Exercise for Reducing Trapezius Muscle Dysfunction in Survivors of Head and Neck Cancer: A Case-Series Report. Physiotherapy Canada Physiotherapie Canada, 2012, 64, 317-324.	0.3	5
78	Uncertainty and senseâ€ofâ€self as targets for intervention for cancerâ€related fatigue. European Journal of Cancer Care, 2019, 28, e13048.	0.7	5
79	Exercise Only Works If You Do It! The Holy Grail of Adherence. American Journal of Gastroenterology, 2021, 116, 673-674.	0.2	5
80	Resistance exercise for post neck dissection shoulder pain: three case reports. Physiotherapy Theory and Practice, 2004, 20, 41-56.	0.6	4
81	Exercise improves cancer-related fatigue. Australian Journal of Physiotherapy, 2008, 54, 216.	0.9	4
82	Early physiotherapy after surgery for breast cancer can reduce the incidence of lymphoedema in the following 12 months. Journal of Physiotherapy, 2010, 56, 134.	0.7	4
83	Physical activity and breast cancer: Results of a focus group to devise novel exercise interventions for women with breast cancer. Clinical Nursing Studies, 2017, 6, 39.	0.1	4
84	Cancer-related fatigue in head and neck cancer survivors: Energy and functional impacts. Cancer Treatment and Research Communications, 2020, 25, 100244.	0.7	4
85	Resistance exercise for post neck dissection shoulder pain: three case reports. Physiotherapy Theory and Practice, 2004, 20, 41-56.	0.6	3
86	Physical Rehabilitation and Occupational Therapy. Oral and Maxillofacial Surgery Clinics of North America, 2018, 30, 471-486.	0.4	3
87	Resistance Exercise and Art Therapy on Body Image in Breast Cancer: A Scoping Review. Women S Health Reports, 2020, 1, 424-435.	0.4	3
88	Feasibility and Effectiveness of Implementing a Novel Exercise and Self-Management Programme during Chemotherapy for Women with Breast Cancer: A Pilot Randomized Controlled Trial. Physiotherapy Canada Physiotherapie Canada, 2020, 72, 271-281.	0.3	2
89	Physical therapy interventions, other than general physical exercise interventions, in children and adolescents before, during and following treatment for cancer. The Cochrane Library, 2021, 2021, CD012924.	1.5	2
90	Community-based Exercise For Health Promotion And Secondary Cancer Prevention: A Hybrid Effectiveness-implementation Study. Medicine and Science in Sports and Exercise, 2020, 52, 523-523.	0.2	2

#	Article	IF	CITATIONS
91	Feasibility of a Remotely Delivered Strength and Balance Training Program for Older Adults with Cancer. Current Oncology, 2021, 28, 4408-4419.	0.9	2
92	Feasibility of Implementing Cancer-Specific Community-Based Exercise Programming: A Multi-Centre Randomized Trial. Cancers, 2022, 14, 2737.	1.7	2
93	Feasibility and efficacy of a remotely delivered fall prevention exercise program for community-dwelling older adults with cancer: Protocol for the STABLE trial. Journal of Geriatric Oncology, 2022, 13, 1273-1280.	0.5	2
94	Invited Commentary. Physical Therapy, 2010, 90, 1657-1659.	1.1	1
95	Safety, feasibility, and effectiveness of implementing supervised exercise into the clinical care of individuals with advanced cancer. Clinical Rehabilitation, 2022, 36, 1666-1678.	1.0	1
96	Cancer Rehabilitation: Opportunities and Challenges. Physiotherapy Canada Physiotherapie Canada, 2012, 64, 111-112.	0.3	0
97	La réadaptation en oncologieÂ: possibilités et défis. Physiotherapy Canada Physiotherapie Canada, 2012, 64, 113-115.	0.3	O
98	Clinician's Commentary on Canestraro et al Physiotherapy Canada Physiotherapie Canada, 2013, 65, 103-104.	0.3	0
99	A Framework for Ensuring Competence and Credibility in Cancer Rehabilitation Services. Physiotherapy Canada Physiotherapie Canada, 2014, 66, 335-337.	0.3	0
100	Interventions for preventing and treating trismus in patients with head and neck cancer. The Cochrane Library, $2016$ , , .	1.5	0
101	Personalized Care in the Prevention of Treatment-Related Cardiac Dysfunction in Female Cancer Survivors. Journal of Women's Health, 2019, 28, 1384-1390.	1.5	0
102	Feasibility of performanceâ€based functional assessment in brain tumour survivors. European Journal of Cancer Care, 2020, 29, e13238.	0.7	0
103	Exercise and Cancer-Related Fatigue Syndrome. , 2010, , 17-36.		0
104	The feasibility of implementing an exercise programme for deconditioned cancer survivors in a national cancer centre: FIXCAS Study. HRB Open Research, 2019, 2, 24.	0.3	0
105	Advanced Cancers, Metastatic Disease, and Palliative Care. , 2020, , 321-348.		O
106	The feasibility of implementing an exercise programme for deconditioned cancer survivors in a national cancer centre: FIXCAS Study. HRB Open Research, 2019, 2, 24.	0.3	0
107	Critically appraised paper: Exercise is safe, clinically effective and cost-effective compared to usual care after non-reconstructive breast cancer surgery [commentary]. Journal of Physiotherapy, 2022, , .	0.7	O
108	Decongestive progressive resistance exercise with an adjustable compression wrap for breast cancer-related lymphoedema (DREAM): protocol for a randomised controlled trial. BMJ Open, 2022, 12, e053165.	0.8	0

7