

Rachel C Stockley

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9308204/publications.pdf>

Version: 2024-02-01

20
papers

247
citations

1040056

9
h-index

1058476

14
g-index

21
all docs

21
docs citations

21
times ranked

361
citing authors

#	ARTICLE	IF	CITATIONS
1	The importance of embracing complexity in rehabilitation. <i>Journal of Evaluation in Clinical Practice</i> , 2023, 29, 657-661.	1.8	4
2	Why complexity matters in physiotherapy research. <i>Physiotherapy</i> , 2022, , .	0.4	0
3	A focus group study of therapistsâ€™ views on using a novel neuroanimation virtual reality game to deliver intensive upper-limb rehabilitation early after stroke. <i>Archives of Physiotherapy</i> , 2022, 12, .	1.8	2
4	Systematic Review and Meta-Analysis of the Effectiveness of Mental Practice for the Upper Limb After Stroke: Imagined or Real Benefit?. <i>Archives of Physical Medicine and Rehabilitation</i> , 2021, 102, 1011-1027.	0.9	14
5	Comparing a Novel Neuroanimation Experience to Conventional Therapy for High-Dose Intensive Upper-Limb Training in Subacute Stroke: The SMARTS2 Randomized Trial. <i>Neurorehabilitation and Neural Repair</i> , 2021, 35, 393-405.	2.9	36
6	12-Month changes of muscle strength, body composition and physical activity in adults with dystrophinopathies. <i>Disability and Rehabilitation</i> , 2020, , 1-8.	1.8	4
7	To stimulate or not to stimulate? A rapid systematic review of repetitive sensory stimulation for the upper-limb following stroke. <i>Archives of Physiotherapy</i> , 2020, 10, 20.	1.8	4
8	A scoping review of determinants of performance in dressage. <i>PeerJ</i> , 2020, 8, e9022.	2.0	21
9	Quality of life in adults with muscular dystrophy. <i>Health and Quality of Life Outcomes</i> , 2019, 17, 121.	2.4	26
10	PULSE-I - Is rePetitive Upper Limb SEnsory stimulation early after stroke feasible and acceptable? A stratified single-blinded randomised controlled feasibility study. <i>Trials</i> , 2019, 20, 388.	1.6	2
11	Frequency of reported pain in adult males with muscular dystrophy. <i>PLoS ONE</i> , 2019, 14, e0212437.	2.5	22
12	Current therapy for the upper limb after stroke: a cross-sectional survey of UK therapists. <i>BMJ Open</i> , 2019, 9, e030262.	1.9	21
13	A Mixed Methods Small Pilot Study to Describe the Effects of Upper Limb Training Using a Virtual Reality Gaming System in People with Chronic Stroke. <i>Rehabilitation Research and Practice</i> , 2017, 2017, 1-8.	0.6	12
14	Collaborative goal setting with adults attending physiotherapy at a specialist neuromuscular centre: is it always appropriate? A cross-sectional survey. <i>Physiotherapy</i> , 2016, 102, 320-326.	0.4	7
15	A blended user centred design study for wearable haptic gait rehabilitation following hemiparetic stroke. , 2015, , .		13
16	Acupuncture for Joint Symptoms Related to Aromatase Inhibitor Therapy in Postmenopausal Women with Early-Stage Breast Cancer: A Narrative Review. <i>Acupuncture in Medicine</i> , 2015, 33, 188-195.	1.0	10
17	Interventions for fatigue in peripheral neuropathy. <i>The Cochrane Library</i> , 2014, 2014, CD008146.	2.8	10
18	Itâ€™s more than just physical therapy: reported utilization of physiotherapy services for adults with neuromuscular disorders attending a specialist centre. <i>Disability and Rehabilitation</i> , 2013, 35, 282-290.	1.8	8

#	ARTICLE	IF	CITATIONS
19	Move it or lose it?: A survey of the aims of treatment when using passive movements in intensive care. <i>Intensive and Critical Care Nursing</i> , 2012, 28, 82-87.	2.9	9
20	An investigation of the use of passive movements in intensive care by UK physiotherapists. <i>Physiotherapy</i> , 2010, 96, 228-233.	0.4	19