## Per Näsman

## List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/9585636/publications.pdf

Version: 2024-02-01

361413 315739 1,637 59 20 38 h-index citations g-index papers 62 62 62 2629 all docs docs citations times ranked citing authors

| #  | Article   | lF   | Citations |
|----|---|------|-----------|
| 1  | Mannose-binding lectin does not explain the dismal prognosis after an acute coronary event in dysglycaemic patients. A report from the GAMI cohort. Cardiovascular Diabetology, 2022, 21, .   | 6.8  | O         |
| 2  | Sexual Violence on the Move: An Assessment of Youth's Victimization in Public Transportation. Women and Criminal Justice, 2021, 31, 294-312.  | 0.9  | 9         |
| 3  | Stroke survivors' priorities for research related to life after stroke. Topics in Stroke Rehabilitation, 2021, 28, 153-158.   | 1.9  | 62        |
| 4  | Copeptin is associated with mortality in elderly people. European Journal of Clinical Investigation, 2021, 51, e13516.  | 3.4  | 6         |
| 5  | Androgen receptor polymorphism, testosterone levels, and prognosis in patients with acute myocardial infarction. European Heart Journal Open, 2021, $1$ , .   | 2.3  | O         |
| 6  | Effects of Fluoxetine on Outcomes at 12 Months After Acute Stroke. Stroke, 2021, 52, 3082-3087.   | 2.0  | 13        |
| 7  | Distal Lung Microenvironment Triggers Release of Mediators Recognized as Potential Systemic<br>Biomarkers for Idiopathic Pulmonary Fibrosis. International Journal of Molecular Sciences, 2021, 22,<br>13421.   | 4.1  | 9         |
| 8  | Outcome and characteristics of nonâ€measurable myeloma: A cohort study with populationâ€based data from the Swedish Myeloma Registry. European Journal of Haematology, 2020, 104, 376-382.  | 2.2  | 8         |
| 9  | Safety and efficacy of fluoxetine on functional recovery after acute stroke (EFFECTS): a randomised, double-blind, placebo-controlled trial. Lancet Neurology, The, 2020, 19, 661-669.  | 10.2 | 106       |
| 10 | Update to the FOCUS, AFFINITY and EFFECTS trials studying the effect(s) of fluoxetine in patients with a recent stroke: statistical analysis plan for the trials and for the individual patient data meta-analysis. Trials, 2020, 21, 971.  | 1.6  | 2         |
| 11 | Validation of the Simplified Modified Rankin Scale Questionnaire. European Neurology, 2020, 83, 493-499.  | 1.4  | 5         |
| 12 | Adherence to disease-specific drug treatment among patients with pulmonary arterial hypertension or chronic thromboembolic pulmonary hypertension. ERJ Open Research, 2020, 6, 00299-2020.  | 2.6  | 23        |
| 13 | Antiphospholipid antibodies in patients with dysglycaemia: A neglected cardiovascular risk factor?.<br>Diabetes and Vascular Disease Research, 2020, 17, 147916412092212.   | 2.0  | 1         |
| 14 | Update on the EFFECTS study of fluoxetine for stroke recovery: a randomised controlled trial in Sweden. Trials, 2020, 21, 233.  | 1.6  | 6         |
| 15 | Response to Comment on Norhammar et al. Undetected Dysglycemia Is an Important Risk Factor for Two Common Diseases, Myocardial Infarction and Periodontitis: A Report From the PAROKRANK Study. Diabetes Care 2019;42:1504–1511. Diabetes Care, 2020, 43, e9-e9.                          | 8.6  | O         |
| 16 | Limited value of NT-proBNP as a prognostic marker of all-cause mortality in patients with heart failure with preserved and mid-range ejection fraction in primary care: A report from the swedish heart failure register. Scandinavian Journal of Primary Health Care, 2019, 37, 434-443. | 1.5  | 8         |
| 17 | Undetected Dysglycemia Is an Important Risk Factor for Two Common Diseases, Myocardial Infarction and Periodontitis: A Report From the PAROKRANK Study. Diabetes Care, 2019, 42, 1504-1511.   | 8.6  | 16        |
| 18 | Identifying important barriers to recruitment of patients in randomised clinical studies using a questionnaire for study personnel. Trials, 2019, 20, 618.  | 1.6  | 22        |

| #  | Article  | IF  | CITATIONS |
|----|--|-----|-----------|
| 19 | Resilience to Intentional Electromagnetic Interference Is Required for Connected Autonomous Vehicles. IEEE Transactions on Electromagnetic Compatibility, 2019, 61, 1552-1559.   | 2.2 | 14        |
| 20 | Antiphospholipid Antibodies in Patients With Myocardial Infarction. Annals of Internal Medicine, 2019, 170, 277.   | 3.9 | 17        |
| 21 | Comorbidities, risk factors and outcomes in patients with heart failure and an ejection fraction of more than or equal to 40% in primary care- and hospital care-based outpatient clinics. Scandinavian Journal of Primary Health Care, 2018, 36, 207-215.                               | 1.5 | 11        |
| 22 | A Systemsâ€Based Risk Assessment Framework for Intentional Electromagnetic Interference (IEMI) on Critical Infrastructures. Risk Analysis, 2018, 38, 1279-1305.  | 2.7 | 16        |
| 23 | Severe Periodontitis Is Associated with Myocardial Infarction in Females. Journal of Dental Research, 2018, 97, 1114-1121.   | 5.2 | 19        |
| 24 | Dynamics of testosterone levels in patients with newly detected glucose abnormalities and acute myocardial infarction. Diabetes and Vascular Disease Research, 2018, 15, 511-518.  | 2.0 | 7         |
| 25 | Type 2 diabetes and heart failure: Characteristics and prognosis in preserved, mid-range and reduced ventricular function. Diabetes and Vascular Disease Research, 2018, 15, 494-503.  | 2.0 | 37        |
| 26 | Long-term health-related quality of life, survival and costs by different levels of functional outcome six months after stroke. European Stroke Journal, 2018, 3, 157-164.   | 5.5 | 10        |
| 27 | Elevated levels of insulin-like growth factor-binding protein 1 predict outcome after acute myocardial infarction: A long-term follow-up of the glucose tolerance in patients with acute myocardial infarction (GAMI) cohort. Diabetes and Vascular Disease Research, 2018, 15, 387-395. | 2.0 | 6         |
| 28 | Enhancing Recruitment Using Teleconference and Commitment Contract (ERUTECC): study protocol for a randomised, stepped-wedge cluster trial within the EFFECTS trial. Trials, 2018, 19, 14.   | 1.6 | 4         |
| 29 | Symptoms of depression and their relation to myocardial infarction and periodontitis. European Journal of Cardiovascular Nursing, 2017, 16, 468-474.   | 0.9 | 17        |
| 30 | Copeptin in patients with acute myocardial infarction and newly detected glucose abnormalities – A marker of increased stress susceptibility? A report from the Glucose in Acute Myocardial Infarction cohort. Diabetes and Vascular Disease Research, 2017, 14, 69-76.                  | 2.0 | 19        |
| 31 | Elevated levels of adipokines predict outcome after acute myocardial infarction: A long-term follow-up of the Glucose Tolerance in Patients with Acute Myocardial Infarction cohort. Diabetes and Vascular Disease Research, 2017, 14, 77-87.  | 2.0 | 19        |
| 32 | Platelet function one and three months after coronary bypass surgery in relation to once or twice daily dosing of acetylsalicylic acid. Thrombosis Research, 2017, 149, 64-69.   | 1.7 | 12        |
| 33 | The FOCUS, AFFINITY and EFFECTS trials studying the effect(s) of fluoxetine in patients with a recent stroke: statistical and health economic analysis plan for the trials and for the individual patient data meta-analysis. Trials, 2017, 18, 627.                                     | 1.6 | 23        |
| 34 | Prognostic Implications of TypeÂ2ÂDiabetesÂMellitus in IschemicÂandÂNonischemic Heart Failure. Journal of the American College of Cardiology, 2016, 68, 1404-1416.   | 2.8 | 77        |
| 35 | Periodontitis Increases the Risk of a First Myocardial Infarction. Circulation, 2016, 133, 576-583.  | 1.6 | 200       |
| 36 | Sustained prognostic implications of newly detected glucose abnormalities in patients with acute myocardial infarction: Long-term follow-up of the Glucose Tolerance in Patients with Acute Myocardial Infarction cohort. Diabetes and Vascular Disease Research, 2015, 12, 23-32.       | 2.0 | 49        |

| #  | Article   | IF  | CITATIONS |
|----|---|-----|-----------|
| 37 | Factors driving public support for road congestion reduction policies: Congestion charging, free public transport and more roads in Stockholm, Helsinki and Lyon. Transportation Research, Part A: Policy and Practice, 2015, 78, 452-462.  | 4.2 | 26        |
| 38 | Risk factors, treatment and prognosis in men and women with heart failure with and without diabetes. Heart, 2015, 101, 1139-1148.   | 2.9 | 36        |
| 39 | Lipidâ€lowering treatment and inflammatory mediators in diabetes and chronic kidney disease. European<br>Journal of Clinical Investigation, 2014, 44, 276-284.  | 3.4 | 26        |
| 40 | Improved survival in myeloma patients: starting to close in on the gap between elderly patients and a matched normal population. British Journal of Haematology, 2014, 164, 684-693.  | 2.5 | 38        |
| 41 | Is the prognosis in patients with diabetes and heart failure a matter of unsatisfactory management? An observational study from the Swedish Heart Failure Registry. European Journal of Heart Failure, 2014, 16, 409-418.                   | 7.1 | 42        |
| 42 | Risk prediction in stable angina pectoris. European Journal of Clinical Investigation, 2013, 43, 141-151.   | 3.4 | 7         |
| 43 | Autologous hematopoietic stem cell transplantation in multiple myeloma and lymphoma: an analysis of factors influencing stem cell collection and hematological recovery. Medical Oncology, 2012, 29, 2191-2199.                             | 2.5 | 20        |
| 44 | Estimated Time for Occurrence of Smoking-Related Consequences among Pregnant and Non-Pregnant Women. International Journal of Environmental Research and Public Health, 2009, 6, 1665-1675.   | 2.6 | 6         |
| 45 | Factors Affecting Continuation of Smoking by Pregnant and Nonpregnant Women. Substance Abuse, 2009, 30, 150-157.  | 2.3 | 3         |
| 46 | Economic evaluation in Sweden of epoetin beta with intravenous iron supplementation in anaemic patients with lymphoproliferative malignancies not receiving chemotherapy. Journal of Clinical Pharmacy and Therapeutics, 2008, 33, 365-374. | 1.5 | 14        |
| 47 | Judgments of Risk for Consequences of Continuing or Quitting Smoking—A Study of Pregnant and Nonpregnant Women Intending and Not Intending to Quit. American Journal of Drug and Alcohol Abuse, 2008, 34, 225-233.                          | 2.1 | 3         |
| 48 | Somatic, Psychological and Social Judgments Related to Smoking Among Pregnant and Non-Pregnant Women. Journal of Addictive Diseases, 2007, 26, 69-77.   | 1.3 | 2         |
| 49 | Perceived consequences among pregnant and nonâ€pregnant women of continuing or ceasing to smoke. International Journal of Gynecology and Obstetrics, 2007, 99, 117-121.   | 2.3 | 8         |
| 50 | Values and beliefs about consequences related to smoking among pregnant and non-pregnant women. Journal of Obstetrics and Gynaecology, 2007, 27, 558-563.   | 0.9 | 0         |
| 51 | Addition of intravenous iron to epoetin beta increases hemoglobin response and decreases epoetin dose requirement in anemic patients with lymphoproliferative malignancies: a randomized multicenter study. Leukemia, 2007, 21, 627-632.    | 7.2 | 187       |
| 52 | Use of Coping Techniques as a Predictor of Lapse When Quitting Smoking among Pregnant and Non-Pregnant Women. American Journal on Addictions, 2007, 16, 238-243.  | 1.4 | 7         |
| 53 | Perception of Smokingâ€Related Health Consequences among Pregnant and Nonâ€Pregnant Women.<br>American Journal on Addictions, 2007, 16, 521-527.  | 1.4 | 6         |
| 54 | Post-stroke depression? effect on the life situation of the significant other. Scandinavian Journal of Caring Sciences, 2006, 20, 412-416.  | 2.1 | 22        |

| #  | ARTICLE   | IF  | CITATION |
|----|---|-----|----------|
| 55 | Favourable long term prognosis in stable angina pectoris: an extended follow up of the angina prognosis study in Stockholm (APSIS). Heart, 2006, 92, 177-182.   | 2.9 | 51       |
| 56 | Does early EBV infection protect against IgE sensitization?. Journal of Allergy and Clinical Immunology, 2005, 116, 438-444.  | 2.9 | 70       |
| 57 | Double-Blind Comparison of Sertraline and Placebo in Stroke Patients With Minor Depression and Less Severe Major Depression. Journal of Clinical Psychiatry, 2005, 66, 708-716.                                   | 2.2 | 90       |
| 58 | Left ventricular function and cardiovascular events following adjuvant therapy with adenosine in acute myocardial infarction treated with thrombolysis. European Journal of Clinical Pharmacology, 2003, 59, 1-9. | 1.9 | 72       |
| 59 | Clinical Significance of Mucosal Inflammation of the Vermiform Appendix. Annals of Surgery, 1983, 197, 368.   | 4.2 | 40       |