

Hubert Scharnagl

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9768491/publications.pdf>

Version: 2024-02-01

129
papers

13,877
citations

126907

33
h-index

25787

108
g-index

134
all docs

134
docs citations

134
times ranked

24545
citing authors

#	ARTICLE	IF	CITATIONS
1	Genetic studies of body mass index yield new insights for obesity biology. <i>Nature</i> , 2015, 518, 197-206.	27.8	3,823
2	Discovery and refinement of loci associated with lipid levels. <i>Nature Genetics</i> , 2013, 45, 1274-1283.	21.4	2,641
3	Defining the role of common variation in the genomic and biological architecture of adult human height. <i>Nature Genetics</i> , 2014, 46, 1173-1186.	21.4	1,818
4	New genetic loci link adipose and insulin biology to body fat distribution. <i>Nature</i> , 2015, 518, 187-196.	27.8	1,328
5	Plasma ceramides predict cardiovascular death in patients with stable coronary artery disease and acute coronary syndromes beyond LDL-cholesterol. <i>European Heart Journal</i> , 2016, 37, 1967-1976.	2.2	433
6	The Influence of Age and Sex on Genetic Associations with Adult Body Size and Shape: A Large-Scale Genome-Wide Interaction Study. <i>PLoS Genetics</i> , 2015, 11, e1005378.	3.5	331
7	HDL cholesterol: reappraisal of its clinical relevance. <i>Clinical Research in Cardiology</i> , 2017, 106, 663-675.	3.3	186
8	Effects of Vitamin D on Blood Pressure and Cardiovascular Risk Factors. <i>Hypertension</i> , 2015, 65, 1195-1201.	2.7	152
9	Elevated Cardiac Troponin T in Patients With Skeletal Myopathies. <i>Journal of the American College of Cardiology</i> , 2018, 71, 1540-1549.	2.8	150
10	Atorvastatin and Low-Density Lipoprotein Cholesterol in Type 2 Diabetes Mellitus Patients on Hemodialysis. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2011, 6, 1316-1325.	4.5	116
11	Serum amyloid A: high-density lipoproteins interaction and cardiovascular risk. <i>European Heart Journal</i> , 2015, 36, ehv352.	2.2	116
12	High-density lipoprotein cholesterol, coronary artery disease, and cardiovascular mortality. <i>European Heart Journal</i> , 2013, 34, 3563-3571.	2.2	110
13	High Intestinal Cholesterol Absorption Is Associated With Cardiovascular Disease and Risk Alleles in ABCG8 and ABO. <i>Journal of the American College of Cardiology</i> , 2013, 62, 291-299.	2.8	93
14	Cardiovascular Function and Predictors of Exercise Capacity in Patients With Colorectal Cancer. <i>Journal of the American College of Cardiology</i> , 2014, 64, 1310-1319.	2.8	93
15	The Arachidonic Acid Metabolome Serves as a Conserved Regulator of Cholesterol Metabolism. <i>Cell Metabolism</i> , 2014, 20, 787-798.	16.2	92
16	Adipocyte cell size, free fatty acids and apolipoproteins are associated with non-alcoholic liver injury progression in severely obese patients. <i>Metabolism: Clinical and Experimental</i> , 2014, 63, 1542-1552.	3.4	88
17	HDL Cholesterol Is Not Associated with Lower Mortality in Patients with Kidney Dysfunction. <i>Journal of the American Society of Nephrology: JASN</i> , 2014, 25, 1073-1082.	6.1	86
18	Relations between lipoprotein(a) concentrations, LPA genetic variants, and the risk of mortality in patients with established coronary heart disease: a molecular and genetic association study. <i>Lancet Diabetes and Endocrinology</i> , 2017, 5, 534-543.	11.4	84

#	ARTICLE	IF	CITATIONS
19	Fibroblast growth factor 23 (FGF23) and mortality: The Ludwigshafen Risk and Cardiovascular Health Study. <i>Atherosclerosis</i> , 2014, 237, 53-59.	0.8	79
20	Serum Uromodulin and Mortality Risk in Patients Undergoing Coronary Angiography. <i>Journal of the American Society of Nephrology: JASN</i> , 2017, 28, 2201-2210.	6.1	79
21	Symmetric dimethylarginine, high-density lipoproteins and cardiovascular disease. <i>European Heart Journal</i> , 2017, 38, 1597-1607.	2.2	77
22	Dialysis Modalities and HDL Composition and Function. <i>Journal of the American Society of Nephrology: JASN</i> , 2015, 26, 2267-2276.	6.1	73
23	Comparison of lipoprotein (a) serum concentrations measured by six commercially available immunoassays. <i>Atherosclerosis</i> , 2019, 289, 206-213.	0.8	66
24	HDL-related biomarkers are robust predictors of survival in patients with chronic liver failure. <i>Journal of Hepatology</i> , 2020, 73, 113-120.	3.7	58
25	Fluvastatin Lowers Atherogenic Dense Low-Density Lipoproteins in Postmenopausal Women With the Atherogenic Lipoprotein Phenotype. <i>Circulation</i> , 2001, 103, 1942-1948.	1.6	51
26	Ethanol Causes Protein Precipitation—New Safety Issues for Catheter Locking Techniques. <i>PLoS ONE</i> , 2013, 8, e84869.	2.5	40
27	E2F-Family Members Engage the PIDDosome to Limit Hepatocyte Ploidy in Liver Development and Regeneration. <i>Developmental Cell</i> , 2020, 52, 335-349.e7.	7.0	40
28	Hemoglobin, iron metabolism and angiographic coronary artery disease (The Ludwigshafen Risk and Cardiovascular Health Study). <i>Atherosclerosis</i> , 2015, 242, 483-489.	0.8	39
29	Soluble klotho and mortality: The Ludwigshafen Risk and Cardiovascular Health Study. <i>Atherosclerosis</i> , 2015, 242, 483-489.	0.8	38
30	LDL triglycerides, hepatic lipase activity, and coronary artery disease: An epidemiologic and Mendelian randomization study. <i>Atherosclerosis</i> , 2019, 282, 37-44.	0.8	38
31	Subclinical inflammation, telomere shortening, homocysteine, vitamin B6, and mortality: the Ludwigshafen Risk and Cardiovascular Health Study. <i>European Journal of Nutrition</i> , 2020, 59, 1399-1411.	3.9	38
32	APRIL limits atherosclerosis by binding to heparan sulfate proteoglycans. <i>Nature</i> , 2021, 597, 92-96.	27.8	38
33	HDL Cholesterol, Apolipoproteins, and Cardiovascular Risk in Hemodialysis Patients. <i>Journal of the American Society of Nephrology: JASN</i> , 2015, 26, 484-492.	6.1	37
34	Vitamin D supplementation and lipoprotein metabolism: A randomized controlled trial. <i>Journal of Clinical Lipidology</i> , 2018, 12, 588-596.e4.	1.5	36
35	Gestational diabetes mellitus modulates neonatal high-density lipoprotein composition and its functional heterogeneity. <i>Biochimica Et Biophysica Acta - Molecular and Cell Biology of Lipids</i> , 2014, 1841, 1619-1627.	2.4	35
36	PCSK9 Plasma Concentrations Are Independent of GFR and Do Not Predict Cardiovascular Events in Patients with Decreased GFR. <i>PLoS ONE</i> , 2016, 11, e0146920.	2.5	35

#	ARTICLE	IF	CITATIONS
37	Obesity Affects HDL Metabolism, Composition and Subclass Distribution. <i>Biomedicines</i> , 2021, 9, 242.	3.2	35
38	Intestinal Cholesterol Absorption, Treatment With Atorvastatin, and Cardiovascular Risk in Hemodialysis Patients. <i>Journal of the American College of Cardiology</i> , 2015, 65, 2291-2298.	2.8	34
39	Low-density lipoprotein particle diameter and mortality: the Ludwigshafen Risk and Cardiovascular Health Study. <i>European Heart Journal</i> , 2015, 36, 31-38.	2.2	34
40	Effects of Vitamin D Supplementation on Plasma Aldosterone and Renin—A Randomized Placebo—Controlled Trial. <i>Journal of Clinical Hypertension</i> , 2016, 18, 608-613.	2.0	34
41	Prognostic value of free light chains lambda and kappa in early multiple sclerosis. <i>Multiple Sclerosis Journal</i> , 2017, 23, 1496-1505.	3.0	34
42	Association of myeloperoxidase with total and cardiovascular mortality in individuals undergoing coronary angiography—The LURIC study. <i>International Journal of Cardiology</i> , 2014, 174, 96-105.	1.7	32
43	Atrial fibrillation is associated with alterations in HDL function, metabolism, and particle number. <i>Basic Research in Cardiology</i> , 2019, 114, 27.	5.9	32
44	Genome-wide association study of circulating interleukin 6 levels identifies novel loci. <i>Human Molecular Genetics</i> , 2021, 30, 393-409.	2.9	32
45	PIDDosome—induced p53—dependent ploidy restriction facilitates hepatocarcinogenesis. <i>EMBO Reports</i> , 2020, 21, e50893.	4.5	29
46	High-Density Lipoprotein Subclasses, Coronary Artery Disease, and Cardiovascular Mortality. <i>Clinical Chemistry</i> , 2017, 63, 1886-1896.	3.2	28
47	Lysyl oxidase-like protein 2 (LOXL2) modulates barrier function in cholangiocytes in cholestasis. <i>Journal of Hepatology</i> , 2018, 69, 368-377.	3.7	27
48	Familial hypercholesterolemia in primary care in Germany. Diabetes and cardiovascular risk evaluation: Targets and Essential Data for Commitment of Treatment (DETECT) study. <i>Atherosclerosis</i> , 2017, 266, 24-30.	0.8	26
49	Decreased cholesterol efflux capacity in patients with low cholesteryl ester transfer protein plasma levels. <i>European Journal of Clinical Investigation</i> , 2014, 44, 395-401.	3.4	25
50	Hepatocyte—specific deletion of adipose triglyceride lipase (adipose triglyceride lipase/patatin—like) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 2022, 75, 125-139.	7.3	25
51	Interrelated aldosterone and parathyroid hormone mutually modify cardiovascular mortality risk. <i>International Journal of Cardiology</i> , 2015, 184, 710-716.	1.7	24
52	A low-fat spread with added plant sterols and fish omega-3 fatty acids lowers serum triglyceride and LDL-cholesterol concentrations in individuals with modest hypercholesterolaemia and hypertriglyceridaemia. <i>European Journal of Nutrition</i> , 2019, 58, 1615-1624.	3.9	23
53	Iron Metabolism, Hpcidin, and Mortality (the Ludwigshafen Risk and Cardiovascular Health Study). <i>Clinical Chemistry</i> , 2019, 65, 849-861.	3.2	23
54	Allergic rhinitis is associated with complex alterations in high-density lipoprotein composition and function. <i>Biochimica Et Biophysica Acta - Molecular and Cell Biology of Lipids</i> , 2019, 1864, 1280-1292.	2.4	22

#	ARTICLE	IF	CITATIONS
55	Anemia of Chronic Disease in Patients With Cardiovascular Disease. <i>Frontiers in Cardiovascular Medicine</i> , 2021, 8, 666638.	2.4	22
56	Nutritional Lifestyle Intervention in Obese Pregnant Women, Including Lower Carbohydrate Intake, Is Associated With Increased Maternal Free Fatty Acids, 3- β -Hydroxybutyrate, and Fasting Glucose Concentrations: A Secondary Factorial Analysis of the European Multicenter, Randomized Controlled DALI Lifestyle Intervention Trial. <i>Diabetes Care</i> , 2019, 42, 1380-1389.	8.6	21
57	Associations of functional alanine-glyoxylate aminotransferase 2 gene variants with atrial fibrillation and ischemic stroke. <i>Scientific Reports</i> , 2016, 6, 23207.	3.3	20
58	Treatment with PCSK9 inhibitors reduces atherogenic VLDL remnants in a real-world study. <i>Vascular Pharmacology</i> , 2019, 116, 8-15.	2.1	20
59	24-Norursodeoxycholic acid reshapes immunometabolism in CD8+ T cells and alleviates hepatic inflammation. <i>Journal of Hepatology</i> , 2021, 75, 1164-1176.	3.7	20
60	Effect of chronic kidney disease on macrophage cholesterol efflux. <i>Life Sciences</i> , 2015, 136, 1-6.	4.3	19
61	Impact of Endothelial Lipase on Cholesterol Efflux Capacity of Serum and High-density Lipoprotein. <i>Scientific Reports</i> , 2017, 7, 12485.	3.3	19
62	CHA2DS2-VASc score and blood biomarkers to identify patients with atrial high-rate episodes and paroxysmal atrial fibrillation. <i>Europace</i> , 2016, 19, euw101.	1.7	18
63	LDL-Cholesterol: Standards of Treatment 2016: A German Perspective. <i>American Journal of Cardiovascular Drugs</i> , 2016, 16, 323-336.	2.2	18
64	Monoacylglycerol Lipase Inhibition Protects From Liver Injury in Mouse Models of Sclerosing Cholangitis. <i>Hepatology</i> , 2020, 71, 1750-1765.	7.3	18
65	Prognostic Utility of Galectin-3 for Recurrent Cardiovascular Events During Long-term Follow-up in Patients with Stable Coronary Heart Disease: Results of the KAROLA Study. <i>Clinical Chemistry</i> , 2016, 62, 1372-1379.	3.2	17
66	ST2 predicts survival in patients undergoing transcatheter aortic valve implantation. <i>International Journal of Cardiology</i> , 2017, 244, 87-92.	1.7	17
67	Prognostic Value of High-Sensitivity Versus Conventional Cardiac Troponin T Assays Among Patients With Type 2 Diabetes Mellitus Undergoing Maintenance Hemodialysis. <i>American Journal of Kidney Diseases</i> , 2018, 71, 822-830.	1.9	17
68	The interrelations between PCSK9 metabolism and cholesterol synthesis and absorption. <i>Journal of Lipid Research</i> , 2019, 60, 161-167.	4.2	16
69	Simvastatin Efficiently Lowers Small LDL-IgG Immune Complex Levels: A Therapeutic Quality beyond the Lipid-Lowering Effect. <i>PLoS ONE</i> , 2016, 11, e0148210.	2.5	16
70	<sc>FXR</sc> controls <sc>CHOP</sc> expression in steatohepatitis. <i>FEBS Letters</i> , 2017, 591, 3360-3368.	2.8	15
71	Cardiovascular risk algorithms in primary care: Results from the DETECT study. <i>Scientific Reports</i> , 2019, 9, 1101.	3.3	15
72	Cholesterol Efflux Capacity and Cardiovascular Disease: The Ludwigshafen Risk and Cardiovascular Health (LURIC) Study. <i>Biomedicines</i> , 2020, 8, 524.	3.2	15

#	ARTICLE	IF	CITATIONS
73	NT-proBNP for risk prediction of cardiovascular events and all-cause mortality: The getABI-study. <i>IJC Heart and Vasculature</i> , 2020, 29, 100553.	1.1	15
74	Loss of bile salt export pump aggravates lipopolysaccharide-induced liver injury in mice due to impaired hepatic endotoxin clearance. <i>Hepatology</i> , 2022, 75, 1095-1109.	7.3	15
75	Performance of early pregnancy HbA1c for predicting gestational diabetes mellitus and adverse pregnancy outcomes in obese European women. <i>Diabetes Research and Clinical Practice</i> , 2020, 168, 108378.	2.8	14
76	Absence of Bsep/Abcb11 attenuates MCD diet-induced hepatic steatosis but aggravates inflammation in mice. <i>Liver International</i> , 2020, 40, 1366-1377.	3.9	14
77	Neutrophil gelatinase-associated lipocalin levels are U-shaped in the Ludwigshafen Risk and Cardiovascular Health (LURIC) study—Impact for mortality. <i>PLoS ONE</i> , 2017, 12, e0171574.	2.5	14
78	Telomere length, vitamin B12 and mortality in persons undergoing coronary angiography: the Ludwigshafen risk and cardiovascular health study. <i>Aging</i> , 2019, 11, 7083-7097.	3.1	14
79	HDL subclasses and mortality in acute heart failure patients. <i>Clinica Chimica Acta</i> , 2019, 490, 81-87.	1.1	13
80	Acute Physiological Responses to Short- and Long-Stage High-Intensity Interval Exercise in Cardiac Rehabilitation: A Pilot Study. <i>Journal of Sports Science and Medicine</i> , 2016, 15, 80-91.	1.6	13
81	Prognostic relevance of ischemia-modified albumin and NT-proBNP in patients with peripheral arterial occlusive disease. <i>Clinica Chimica Acta</i> , 2015, 438, 255-260.	1.1	12
82	Association of soluble CD40L with short-term and long-term cardiovascular and all-cause mortality: The Ludwigshafen Risk and Cardiovascular Health (LURIC) study. <i>Atherosclerosis</i> , 2019, 291, 127-131.	0.8	12
83	Sex specificity of kidney markers to assess prognosis in cirrhotic patients with TIPS. <i>Liver International</i> , 2020, 40, 186-193.	3.9	12
84	Hypoglycaemia leads to a delayed increase in platelet and coagulation activation markers in people with type 2 diabetes treated with metformin only: Results from a stepwise hypoglycaemic clamp study. <i>Diabetes, Obesity and Metabolism</i> , 2020, 22, 212-221.	4.4	12
85	Chronic kidney disease in primary care in Germany. <i>Zeitschrift Fur Gesundheitswissenschaften</i> , 2017, 25, 223-230.	1.6	10
86	Long- and short-term association of low-grade systemic inflammation with cardiovascular mortality in the LURIC study. <i>Clinical Research in Cardiology</i> , 2020, 109, 358-373.	3.3	10
87	Reduced LDL-Cholesterol and Reduced Total Cholesterol as Potential Indicators of Early Cancer in Male Treatment-Naïve Cancer Patients With Pre-cachexia and Cachexia. <i>Frontiers in Oncology</i> , 2020, 10, 1262.	2.8	10
88	Effects of empagliflozin on lipoprotein subfractions in patients with type 2 diabetes: data from a randomized, placebo-controlled study. <i>Atherosclerosis</i> , 2021, 330, 8-13.	0.8	10
89	Circulating Sclerostin Levels Are Positively Related to Coronary Artery Disease Severity and Related Risk Factors. <i>Journal of Bone and Mineral Research</i> , 2020, 37, 273-284.	2.8	10
90	Bile Acids in Patients with Uncontrolled Type 2 Diabetes Mellitus – The Effect of Two Days of Oatmeal Treatment. <i>Experimental and Clinical Endocrinology and Diabetes</i> , 2020, 128, 624-630.	1.2	9

#	ARTICLE	IF	CITATIONS
91	Common APOC3 variants are associated with circulating ApoC-III and VLDL cholesterol but not with total apolipoprotein B and coronary artery disease. <i>Atherosclerosis</i> , 2020, 311, 84-90.	0.8	9
92	Meta-GWAS of PCSK9 levels detects two novel loci at <i>APOB</i> and <i>TM6SF2</i> . <i>Human Molecular Genetics</i> , 2022, 31, 999-1011.	2.9	9
93	Mid-regional proadrenomedullin levels predict recurrence of atrial fibrillation after catheter ablation. <i>International Journal of Cardiology</i> , 2015, 180, 129-133.	1.7	8
94	Soluble urokinase plasminogen activation receptor and long-term outcomes in persons undergoing coronary angiography. <i>Scientific Reports</i> , 2019, 9, 475.	3.3	8
95	Renal function, N-terminal Pro-B-Type natriuretic peptide, propeptide big-endothelin and patients with heart failure and preserved ejection fraction. <i>Peptides</i> , 2019, 111, 112-117.	2.4	8
96	Serum markers of fibrosis, cardiovascular and all-cause mortality in hemodialysis patients: the AURORA trial. <i>Clinical Research in Cardiology</i> , 2022, 111, 614-626.	3.3	8
97	Effect of High-Flux Dialysis on Circulating FGF-23 Levels in End-Stage Renal Disease Patients: Results from a Randomized Trial. <i>PLoS ONE</i> , 2015, 10, e0128079.	2.5	7
98	Circulating proprotein convertase subtilisin-kexin type 9, all-cause mortality, and cardiovascular mortality: The Ludwigshafen Risk and Cardiovascular Health study. <i>European Journal of Preventive Cardiology</i> , 2017, 24, 1095-1101.	1.8	7
99	Ratio of Apolipoprotein A-II/B Improves Risk Prediction of Postoperative Survival After Carotid Endarterectomy. <i>Stroke</i> , 2015, 46, 1700-1703.	2.0	6
100	High-Density Lipoprotein Function in Exudative Age-Related Macular Degeneration. <i>PLoS ONE</i> , 2016, 11, e0154397.	2.5	6
101	Serum concentrations of free fatty acids are associated with 3-month mortality in acute heart failure patients. <i>Clinical Chemistry and Laboratory Medicine</i> , 2019, 57, 1799-1804.	2.3	6
102	Cardiac involvement in a cross-sectional cohort of myotonic dystrophies and other skeletal myopathies. <i>ESC Heart Failure</i> , 2020, 7, 1900-1908.	3.1	5
103	The effects of long-term moderate exercise and Western-type diet on oxidative/nitrosative stress, serum lipids and cytokines in female Sprague Dawley rats. <i>European Journal of Nutrition</i> , 2021, , 1.	3.9	5
104	Prior myocardial infarction, coronary artery disease extent, diabetes mellitus, and CERT2 score for risk stratification in stable coronary artery disease. <i>European Journal of Preventive Cardiology</i> , 2021, , .	1.8	5
105	Triglyceride-Rich Lipoproteins, Apolipoproteins, and Atherosclerotic Cardiovascular Events Among Patients with Diabetes Mellitus and End-Stage Renal Disease on Hemodialysis. <i>American Journal of Cardiology</i> , 2021, 152, 63-68.	1.6	5
106	Serum Bile Acids in Repaired Tetralogy of Fallot: A Marker for Liver and Heart?. <i>PLoS ONE</i> , 2015, 10, e0144745.	2.5	5
107	Composite Measures of Physical Fitness to Discriminate Between Healthy Aging and Heart Failure: The COMLETE Study. <i>Frontiers in Physiology</i> , 2020, 11, 596240.	2.8	5
108	Short-Term Treatment with Alirocumab, Flow-Dependent Dilatation of the Brachial Artery and Use of Magnetic Resonance Diffusion Tensor Imaging to Evaluate Vascular Structure: An Exploratory Pilot Study. <i>Biomedicines</i> , 2022, 10, 152.	3.2	5

#	ARTICLE	IF	CITATIONS
109	The LDL Apolipoprotein B-to-LDL Cholesterol Ratio: Association with Cardiovascular Mortality and a Biomarker of Small, Dense LDLs. <i>Biomedicines</i> , 2022, 10, 1302.	3.2	5
110	Letter by Scharnagl et al Regarding Article, "Elevated Remnant Cholesterol Causes Both Low-Grade Inflammation and Ischemic Heart Disease, Whereas Elevated Low-Density Lipoprotein Cholesterol Causes Ischemic Heart Disease Without Inflammation". <i>Circulation</i> , 2014, 129, e654.	1.6	4
111	Profound Changes in Sex Hormone Levels during Cross-Sex Hormone Therapy of Transsexuals do not Alter Serum Cholesterol Acceptor Capacity. <i>Journal of Sexual Medicine</i> , 2015, 12, 1436-1439.	0.6	4
112	Prolonged bedrest reduces plasma high-density lipoprotein levels linked to markedly suppressed cholesterol efflux capacity. <i>Scientific Reports</i> , 2020, 10, 15001.	3.3	4
113	Biological anti-psoriatic therapy profoundly affects high-density lipoprotein function. <i>Biochimica Et Biophysica Acta - Molecular and Cell Biology of Lipids</i> , 2021, 1866, 158943.	2.4	4
114	Randomized Supplementation of Vitamin D versus Placebo on Markers of Systemic Inflammation in Hypertensive Patients. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2021, 31, 3202-3209.	2.6	4
115	Combined Use of Serum Uromodulin and eGFR to Estimate Mortality Risk. <i>Frontiers in Medicine</i> , 2021, 8, 723546.	2.6	4
116	Effects of Alirocumab on Triglyceride Metabolism: A Fat-Tolerance Test and Nuclear Magnetic Resonance Spectroscopy Study. <i>Biomedicines</i> , 2022, 10, 193.	3.2	4
117	Propeptide big-endothelin, N-terminal-pro brain natriuretic peptide and mortality. The Ludwigshafen risk and cardiovascular health (LURIC) study. <i>Biomarkers</i> , 2017, 22, 315-320.	1.9	3
118	Prospective cohort studies of beta-trace protein and mortality in haemodialysis patients and patients undergoing coronary angiography. <i>Nephrology Dialysis Transplantation</i> , 2018, 33, 1984-1991.	0.7	3
119	Combined serum free light chain levels are associated with carotid atherosclerosis in type 2 diabetes mellitus. <i>Diabetes and Vascular Disease Research</i> , 2018, 15, 162-164.	2.0	3
120	Recurrent tendosynovitis as a rare manifestation of a lipid disorder. <i>Journal of Clinical Lipidology</i> , 2019, 13, 54-61.	1.5	3
121	Absence of Adiponutrin (PNPLA3) and Monoacylglycerol Lipase Synergistically Increases Weight Gain and Aggravates Steatohepatitis in Mice. <i>International Journal of Molecular Sciences</i> , 2021, 22, 2126.	4.1	3
122	High cholesterol absorption is associated with increased cardiovascular risk in haemodialysis patients: insights from the AURORA study. <i>European Journal of Preventive Cardiology</i> , 2022, 29, 1731-1739.	1.8	3
123	Oxidized LDL Is Strictly Limited to Hyperthyroidism Irrespective of Fat Feeding in Female Sprague Dawley Rats. <i>International Journal of Molecular Sciences</i> , 2015, 16, 11689-11698.	4.1	2
124	J-shaped association between circulating apoC-III and cardiovascular mortality. <i>European Journal of Preventive Cardiology</i> , 2022, 29, e68-e71.	1.8	2
125	Lipoprotein(a): when to measure, how to treat?. <i>Laboratoriums Medizin</i> , 2015, 39, .	0.6	1
126	Cognitive Avoidant Coping Is Associated with Higher Carotid Intima Media Thickness Among Middle-Aged Adults. <i>International Journal of Behavioral Medicine</i> , 2015, 22, 597-604.	1.7	1

#	ARTICLE	IF	CITATIONS
127	Reply to: "Prognostic value of HDL-related biomarkers in patients with HBV-related ACLF", Journal of Hepatology, 2021, 75, 245-246.	3.7	1
128	Anorexia Nervosa Is Associated with a Shift to Pro-Atherogenic Low-Density Lipoprotein Subclasses. Biomedicines, 2022, 10, 895.	3.2	1
129	FRI0660...LONG- AND SHORT-TERM ASSOCIATION OF LOW-GRADE SYSTEMIC INFLAMMATION WITH CARDIOVASCULAR MORTALITY., 2019,, .		0